

MENU

Enter two or more drugs



ecker

Your Drugs

Valsartan



Levothyroxine



Mirabegron



Rosuvastatin



Ondansetron



Pantoprazole



Finasteride



Nitrofurantoin



Trazodone



Clopidogrel



Divalproex Sodium



Timolol Ophthalmic



Polyethylene Glycol & Electrolytes

• Polyethylene Glycol Powder



Paroxetine



[Clear All](#)

## 9 Interactions Found

— Don't use together
— Serious
— Monitor closely
— Minor

### SERIOUS

Skip to main content  
ous interaction; regular monitoring by your doctor required or alternate medication may be needed.

#### Paroxetine + Trazodone

Paroxetine and Trazodone both increase affecting serotonin levels in the blood. Too much serotonin is a potentially life-threatening situation. Severe signs and symptoms include high blood pressure and increased heart rate that lead to

shock. [View Less](#)

### **Ondansetron + Paroxetine**

Ondansetron , Paroxetine . Either increases toxicity of the other by affecting serotonin levels in the blood. Too much serotonin is a potentially life-threatening situation. Severe signs and symptoms include high blood pressure and increased heart rate that lead to shock. [View Less](#)

### **MONITOR CLOSELY**

Significant interaction possible (monitoring by your doctor required).

### **Pantoprazole + Clopidogrel**

Pantoprazole decreases effects of Clopidogrel by altering drug metabolism.

Additional Information: Clopidogrel taken in this combination may inhibit platelet aggregation (increase your risk of bleeding); Pantoprazole prescribing information states when taken with clopidogrel there was no clinically important effect on clopidogrel; no dose adjustment of clopidogrel is required. [View Less](#)

### **Paroxetine + Clopidogrel**

Paroxetine increases effects of Clopidogrel by added drug effects.

Additional Information: Taking clopidogrel in this combination may increase the risk of bleeding.

### **Trazodone + Paroxetine**

Trazodone and Paroxetine both increase causing a dangerous abnormal heart rhythm.

### **Mirabegron + Paroxetine**

Mirabegron will increase the level or effect of Paroxetine by altering drug metabolism.

By using this site, you agree with our use of cookies. [See our cookies](#)

[Notice](#)

[Manage Preferences](#)

[Accept Cookies](#)

×

**MINOR**

Interaction is unlikely, minor, or nonsignificant.

### **Pantoprazole + Levothyroxine**

Pantoprazole decreases levels of Levothyroxine by reducing stomach acidity. This interaction may occur when both drugs are taken by mouth.

Additional Information: There may or may not be an interaction between these drugs. [View Less](#)

### **Trazodone + Rosuvastatin**

Trazodone increases levels of Rosuvastatin by unspecified interaction mechanism.

**DISCLAIMER:** The information contained herein should NOT be used as a substitute for the advice of an appropriately qualified and licensed physician or other health care provider. [Read More](#)

## Drugs & Medications Resources



[Find a Drug](#)



[Find a Vitamin](#)



[Latest Drug News](#)



[Pill Identifier](#)



[Find a Doctor](#)

## Drug Interactions: What You Need to Know

By [Evan Starkman](#)

Medically Reviewed by [Joshua Conrad, PharmD](#)

### What Are Drug Interactions? [^](#)

When a [medication](#) works right, it boosts your health or helps you feel better. But a drug can bring on problems if it doesn't mix well with something else you put into your body, like another medication, a certain food, or [alcohol](#).

When that happens, it's called a [drug interaction](#). It could make your medication stop